



GF 96P Adhesive

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 1 of 5

**1. PRODUCT & COMPANY IDENTIFICATION**

Product Name: GF 96P Adhesive

Product Type: Adhesive

Company Address:

The Gluefast Company, Inc.

3535 Route 66, Bldg. #1

Neptune, NJ 07753 USA

Phone 732-918-4600

**2. HAZARDS IDENTIFICATION**

Physical state: Liquid

Color: White

Odor: Mild

HEALTH: 1

FLAMMABILITY: 0

PHYSICAL HAZARD: 0

Personal Protection: See MSDS Section 8

CAUTION: Eye contact with liquid product may cause irritation. Prolonged or repeated contact with liquid product may cause irritation

Relevant routes of exposure: Skin, Eyes, Inhalation

**Potential Health Effects**

**Inhalation:** Vapors may cause respiratory irritation.

**Skin Contact:** May cause irritation.

**Eye Contact:** May cause irritation.

**Ingestion:** Small ingested amounts are not believed to produce adverse health effects.

**Existing conditions aggravated by exposure:** None known

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**See Section 11 for additional toxicological information.**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Hazardous components</b>	<b>CAS NUMBER</b>
Water	7732-18-5
Vinyl Acetate/Ethylene Copolymer	24937-78-8

**4. FIRST AID MEASURES**

**Inhalation:** Remove to fresh air if breathing has stopped. Artificial respiration should be started.



GF 96P Adhesive

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 2 of 5

**Skin contact:** Wash skin with soap and water.  
**Eye contact:** If splashed in eye, flush with copious quantities of water and seek medical advice.  
**Ingestion:** Larger amounts (at least several ounces) should be removed from the stomach by induced vomiting or aspiration. No medical conditions are known to be aggravated by exposure.

**5. FIRE FIGHTING MEASURES**

**Flash point:** None  
**Auto ignition temperature:** Unknown  
**Flammable/Explosive limits - lower:** Not applicable  
**Flammable/Explosive limits – upper:** Not applicable  
**Extinguishing media:** For dry polymer use water, carbon dioxide (CO<sub>2</sub>) or ABC dry chemical.  
**Special firefighting procedures:** When dried polymer burns, water (H<sub>2</sub>O) carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), and smoke are produced. Pyrolysis products may include some hazardous materials.  
**Unusual fire or explosion hazards:** Not applicable  
**Hazardous combustion products:** Carbon monoxide, carbon dioxide.

**6. ACCIDENTAL RELEASE MEASURES**

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Disposal of water/adhesive in accordance with federal, state and local regulations. Most states prohibit disposal of liquids in landfills.  
**Clean-up methods:** Contain spill. Recover as much as possible for reuse. Absorb remaining spill with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**7. HANDLING AND STORAGE**

**Handling:** Do not freeze. Store at room temperature. Product is freeze thaw stable but should be kept from freezing. If frozen the product will show some increase in viscosity.

**Storage:** Shelf life is 3 months.



GF 96P Adhesive

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 3 of 5

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

**Engineering controls:** Effective exhaust ventilation should always be provided to draw mists, fumes and vapors away from workers to prevent routine inhalation.

**Respiratory protection:** None required except if product is being sprayed where a NIOSH approved mask is recommended.

**Eyeface protection:** Safety goggles.

**Skin protection:** Gloves recommended.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical state:** Liquid

**Color:** White

**Odor:** Mild

**Odor threshold:** Not available

**Ph:** 6-8

**Vapor Pressure:** Water

**Boiling Point/range:** 212°F

**Freezing Point/range:** 32°F

**Specific gravity:** 1.09

**Bulk Density:** 9.1 pounds per gallon

**Vapor density:** Water

**Flash Point:** None

**Flammable/Explosive limits - lower:** Not applicable

**Flammable/Explosive limits – upper:** Not applicable

**Autoignition temperature:** Unkown

**Evaporation rate:** Water

**Solubility in water:** Dispersible

**Partition coefficient (n-octanol/water)** Not applicable

**VOC content:** Under .3% by weight



GF 96P Adhesive

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 4 of 5

**10. STABILITY AND REACTIVITY**

Stability	Stable
Hazardous reactions:	None
Hazardous decomposition products	Carbon Monoxide, carbon dioxide & oxides of nitrogen
Incompatible materials:	Materials that react with water & strong oxidizing agents.
Conditions to avoid:	Do not freeze.

**11. TOXICOLOGICAL INFORMATION**

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/ Target Organs	
None		None	

**12. ECOLOGICAL INFORMATION**

Ecological information: Not available

**13. DISPOSAL CONSIDERATIONS**

**Information provided is for unused product only.**

**Recommended method of disposal:** Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

**Hazardous waste number:** Not a RCRA hazardous waste.

**14. TRANSPORT INFORMATION**

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF96PGL, GF96PPL, GF96PDR  
 Hazard class or division: None  
 Identification number: None  
 Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.



GF 96P Adhesive

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 5 of 5

**INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)**

Proper shipping name: GF96PGL, GF96PPL, GF96PDR  
GF96P-5MGL, GF96P-5MPL, GF96P-5MDR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air.

**WATER TRANSPORTATION (IMO/MDG)**

Proper shipping name: GF96PGL, GF96PPL, GF96PDR  
GF96P-5MGL, GF96P-5MPL, GF96P-5MDR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum  
Exceptions: None

Product is not regulated, non hazardous and not restricted for transport by air or water.

**15. REGULATORY INFORMATION**

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None above reporting de minimus  
**CERCLA/SARA Section 302 EHS:** None above reporting de minimus  
**CERCLA/SARA Section 311/312:** None  
**CERCLA/SARA 313:** None

**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information**

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.  
**WHMIS hazard class:** Not controlled

**16. OTHER INFORMATION**

**This safety data sheet contains changes from the previous version in sections:**

New Safety Data Sheet format.

Creation Date: March 30, 2017