



SKID-LOCK®-MO-23

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 1 of 5

**1. PRODUCT & COMPANY IDENTIFICATION**

Product Name: SKID-LOCK-MO23  
Product Type: Adhesive  
Company Address:  
The Gluefast Company, Inc.  
3535 Route 66, Bldg. #1  
Neptune, NJ 07753 USA  
Phone 732-918-4600

**2. HAZARDS IDENTIFICATION**

Physical state: Liquid  
Color: White  
Odor:Slight

HEALTH: 1  
FLAMMABILITY: 0  
PHYSICAL HAZARD: 0  
Personal Protection: See MSDS Section 8

CAUTION: ADHESIVE VAPORS MAY CAUSE SLIGHT IRRITATION OF THE EYES, SKIN OR RESPIRATORY SYSTEM.

Relevant routes of exposure: Skin, Eyes, Ingestion

**Potential Health Effects**

**Inhalation:** Vapors may cause respiratory irritation.  
**Skin Contact:** Liquid may cause skin irritation  
**Eye Contact:** Liquid or vapors may cause eye irritation.  
**Ingestion:** Small ingested amounts are not believed to produce adverse health effects. Contact physician.

**Existing conditions aggravated by exposure:**

None known. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous components	CAS NUMBER	%
None	None	

**4. FIRST AID MEASURES**

**Inhalation:** Vapors may cause respiratory irritation.  
**Skin contact:** Wash skin with soap and water.  
**Eye contact:** Flush with copious quantities of water and seek medical advice.  
**Ingestion:** Larger amounts (at least several ounces) should be removed from the stomach by induced vomiting or aspiration.



SKID-LOCK®-MO-23

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 2 of 5

**5. FIRE FIGHTING MEASURES**

<b>Flash point:</b>	Not applicable
<b>Auto ignition temperature:</b>	Unknown
<b>Flammable/Explosive limits - lower:</b>	Not applicable
<b>Flammable/Explosive limits – upper:</b>	Not applicable
<b>Extinguishing media:</b>	For dry polymer use water, carbon dioxide (co2), or ABC dry chemical.
<b>Special firefighting procedures:</b>	When dried polymer burns, water (H2O), carbon dioxide (CO2), carbon monoxide (CO), and smoke are produced. Pyrolysis products may include some hazardous materials.
<b>Unusual fire or explosion hazards:</b>	No unusual fire or explosion hazards.
<b>Hazardous combustion products:</b>	Oxides of carbon

**6. ACCIDENTAL RELEASE MEASURES**

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:**

Do not flush liquid material into public sewer or water system. Disposal of water/adhesive in accordance with federal, state and local regulations. Most states prohibit disposal of liquids in landfills.

**Clean-up methods:**

Contain spill. Recover as much as possible for reuse. Absorb remaining spill with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

Spilled material is very slippery. Use care to avoid falls. Dried film should be thoroughly cleaned. If spilled in an enclosed area, ventilate. Change contaminated clothing and launder before reuse. Wear proper personal protective clothing and equipment.

**7. HANDLING AND STORAGE**

**Handling:**

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

**Storage:**

Store at room temperature. Rotate stock using oldest material first. KEEP FROM FREEZING. Shelf life is six months.



SKID-LOCK®-MO-23

February 15, 2019

\*\*\*SAFETY DATA SHEET \*\*\*

Page 3 of 5

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

**Engineering controls:**

Effective exhaust ventilation should always be provided to draw mists, fumes and vapors away from workers to prevent routine inhalation.

**Respiratory protection:**

None required except if product is being sprayed where a NIOSH approved mask is recommended.

**Eyeface protection:**

Safety goggles.

**Skin protection:**

Gloves recommended.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical state:**

Liquid

**Color:**

White

**Odor:**

Slight

**Odor threshold:**

Not available

**Ph:**

5-7

**Vapor Pressure:**

Water 68 Degrees F (MM Mercury)

**Boiling Point/range:**

212F

**Melting point/ range:**

0 °C (32°F) (Freezing point)

**Specific gravity:**

1.1

**Vapor density:**

Water

**Flash Point:**

Not Applicable

**Flammable/Explosive limits - lower:**

Not applicable

**Flammable/Explosive limits – upper:**

Not applicable

**Autoignition temperature:**

Unknown

**Evaporation rate:**

Water

**Solubility in water:**

Dispersible

**Partition coefficient (n-octanol/water)**

Not determined

**VOC content:**

0.4g/l or less



SKID-LOCK®-MO-23

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 4 of 5

**10. STABILITY AND REACTIVITY**

Stability	Stable
Hazardous reactions:	None
Hazardous decomposition products	Carbon monoxide, carbon dioxide & oxides of nitrogen.
Incompatible materials:	Materials that react with water & strong oxidizing agents.
Conditions to avoid:	Do not freeze

**11. TOXICOLOGICAL INFORMATION**

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/ Target Organs	
None		None	

**12. ECOLOGICAL INFORMATION**

Ecological information: None available

**13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only.

**Recommended method of disposal:** Disposal of water/adhesive in accordance with federal, state and local regulations. Most states prohibit disposal of liquids in landfills.

**Hazardous waste number:** Not a RCRA hazardous waste.

**14. TRANSPORT INFORMATION**

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: SLMO23GL, SLMO23PL, SLMO23DR  
 Hazard class or division: None  
 Identification number: None  
 Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.



SKID-LOCK®-MO-23

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: SLMO23GL, SLMO23PL, SLMO23DR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air.

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: SLMO23GL, SLMO23PL, SLMO23DR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.

**15. REGULATORY INFORMATION**

United States Regulatory Information

**TSCA 8 (b) Inventory Status:**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12 (b) Export Notification:**

None above reporting de minimus

**CERCLA/SARA Section 302 EHS:**

None above reporting de minimus

**CERCLA/SARA Section 311/312:**

None

**CERCLA/SARA 313:**

None

**California Proposition 65:**

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986: This product contains chemicals known to the state of California to cause cancer (c) or reproductive (r) damage.

Canada Regulatory Information

**CEPA DSL/NDSL Status:**

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**WHMIS hazard class:**

Not controlled

**16. OTHER INFORMATION**

**This safety data sheet contains changes from the previous version in sections:**

New Safety Data Sheet format.

Revision Date: May 2, 2017